



OMEGA

PLATFORM STAIRLIFT

OMEGA

For challenging stair staircases

VERSATILE

Installation possible on very steep and narrow staircases thanks to cable pull system

PERSISTENT


Permanent power supply without batteries for long distances and high user frequency

COMPACT

Extremely narrow design for installation in very narrow staircases




OPERATION



Radio remote control (mobile/screwed)



Handheld cassette with spiral cable



Joystick on platform



Lift Control app on smartphone

RAIL

The rail is made of either **steel** or **stainless steel**. The standard colors for the steel coating are RAL 9007 and 7035, but any RAL color is available as an option.

The rail can be mounted on **supports** or on the **wall**.



OPTIONS


- ① Outdoor version
- ② Different mounting options
- ③ Special platform sizes
- ④ Folding seat on platform
- ⑤ External control with large push buttons
- ⑥ Side ramp
- ⑦ Special RAL color



TIP

Technical specifications

Load capacity	225 kg (optional 300 kg)
Platform sizes (standard)	700 x 750 mm, 750 x 850 mm, 800 x 900 mm, 800 x 1000 mm
Platform sizes (special)	Up to max. 900 x 1300 mm
Incline	0-67°
Speed	0,06-0,15 m/s
Noise level	Below 60 dB
Temperature	+45 °C to -25 °C
Width when folded	275 mm
Power Supply	1 x 230 V / 50-60 Hz
Engine performance	1,1 -2,2 kW
Maximum rail length	85 m
Standard colors	RAL 9007 or 7035
Certificates	TÜV certified according to EN 81-40



Our platform stairlifts are TÜV certified in accordance with the current EU standard **EN 81-40:2020**.





Platform stairlifts



Chair stairlifts



Vertical platformlifts



Special lifts



Contact your dealer for
further information:



Official partner of:



Lehner Liftechnik GmbH

Mitterweg 4

4722 Peuerbach

Austria

+43 7276 29 800

sales@lehnerlifttechnik.at

www.lehner-liftechnik.com

Visit our website
for more details
about this lift



09/2025