



STRATOS^{NG/A}

PLATFORM STAIRLIFT

That's why you can count on **LEHNER LIFTTECHNIK...**

SOLUTION ORIENTATION

Our lifts are custom-made products that are adapted precisely to the local conditions. We look for solutions where others give up and thus offer a significant advantage.

RELIABILITY

The durability of our products is a top priority for us. Our portfolio includes reliable mobility solutions that guarantee low-maintenance operation.

SAFETY

Safety is our top priority: Our lift systems are manufactured to the highest safety standards. This guarantees safe use for many years.

**High-quality
lift systems
that impress**

HUMANITY

People always count for us. All our daily efforts are aimed at maximizing the independence of the users of our products.

PRICE/PERFORMANCE

We stand for affordable, high-quality lift systems. It is always our aim to offer our customers outstanding products at attractive prices.

EXPERIENCE

The dynamic team around company founder Max Lehner has been working for more than 30 years to enable barrier-free living with our reliable lifts at



„We are proud that our lifts contribute to improving the lives of people with mobility impairments around the world every day“

Company founder Max Lehner

POWERFUL

Equipped with an extremely powerful 0.75 kW drive motor for reliable operation with a load capacity of up to 350 kg

COMPACT

The **Stratos NG** is characterised by its compact size of 299 mm when folded and its slim design

SAFE

Maximum safety is guaranteed by an electric emergency lowering system, platform lighting and vandal-proof controls

CERTIFIED

Stratos NG is type-tested and TÜV-certified in accordance with the applicable standard EN 81-40:2020

ONE PLATFORM FOR ALL SITUATIONS

The **Stratos NG** was developed with the aim of creating a product that impresses in every installation situation and meets modern requirements.

HIGHLIGHTS

- High-resolution color display with status indication
- Reduced space requirement
- Load capacity up to 350 kg
- LED platform lighting
- Ergonomically positioned control panel
- Electric emergency lowering system
- Certified according to the applicable EU Machinery Directive
- Platform sizes up to 900 x 1400 mm possible
- Motorized side ramp (optional)



STRATOS NG for curved stairs

masters the tightest curve radii and steep flights of stairs. The curved version offers an efficient solution for a wide range of conditions.



STRATOS NG/A for straight stairs

with reinforced, adjustable aluminum rail that can be easily adapted on site and allows for bigger pillar spacing.

TIP

FOR DEMANDING APPLICATIONS

With a load capacity of up to 350 kg, gradients of up to 60°, and travel distances of up to 100 m, anything is possible with the Stratos NG/A

Vandal-proof controls (included in the basic price) and manufacturing in accordance with the applicable standard EN 81-40:2020 also make the Stratos NG the perfect choice **for public areas.**



4 standard platform sizes are available



Slim construction for maximum passage width

CONTROL



Ergonomic control panel
on the platform



Handset on spiral cable
on the platform (optional)



Wireless remote control
Handheld cassette or wall-mounted



TIP

When purchasing, make sure that the stairlift has **platform lighting** as standard. This allows you to use the lift comfortably at any time of day.

A REAL EYE-CATCHER

With its clean lines, modern colour scheme, colour display with animations, and standard LED platform lighting, the Stratos NG also sets new standards in terms of appearance.

The standard colours for the rails and platform are **RAL 7016** and **RAL 9003**. Accents in **RAL 9005** give the platform a special touch. A coating in any RAL color or a stainless steel finish is available as an option.

7016

9003

9005



POWERFUL
Equipped with a
strong **0.75 kW** motor






TECHNICAL SPECIFICATIONS

Load capacity		225 kg (optional 350 kg)
Platform sizes (standard)		700 x 750 mm, 750 x 850 mm, 800 x 900 mm, 800 x 1000 mm
Platform width (min-max)		600-900 mm
Platform length (min-max)		725-1400 mm
Gradient		0 - 60°
Folded width		299 mm
Drive engine		0.75 kW
Max. rail length		100 m
Speed		Up to 0.12 m/s
Rail diameter		50 mm
Indoor use		✓
Outdoor use		✓
Standard colour (RAL)	Rails + Platform	7016 9003
	Accents	9005
Certificates		TÜV certified according to EN 81-40



Maximum platform widths are possible for very narrow staircases



OPTIONS

- ① Special RAL colour
- ② Special platform sizes
- ③ Folding seat
- ④ Different mounting options
- ⑤ Side access ramp (manual/motorised)
- ⑥ Additional batteries (max. 8 x 9 Ah)
- ⑦ Stainless steel version



TIP

The **colour display with status indication** gives intuitive visualisations and animations, which make operation easy, but also facilitate fault diagnosis.



STRATOS^{NG/A}

PROVEN TECHNOLOGY
RETHOUGHT



Test the **3D configurator** for the
Stratos NG/A on our website.
Simply scan the QR code and
you will be directed to the
configurator.



Platform stairlifts



Chair stairlifts



Vertical platformlifts



Special lifts

Contact your dealer for
further information:

Official partner of:



Lehner Liftechnik GmbH

Mitterweg 4

4722 Peuerbach

Austria

+43 7276 29 800

sales@lehnerlifttechnik.at

www.lehner-liftechnik.com

09/2025

Visit our website
for more details
about this lift

